

PRODUCTS DESIGNED FOR THE ARCHITECTURAL MARKET

Exterior Applications

Product	Polymer NVM	pH	MFFT (°C)	Coalescing Solvent (on binder nvm)	Description
HOUSE & TRIM – FLAT TO SATIN					
EPS 2705	55.0	8.0 – 0.5	4	5% Texanol	All-acrylic emulsion offering excellent exterior durability and adhesion for use in exterior flat and satin finish house paints. EPS 2705 offers advanced dirt resistance technology to improve the brightness and appearance of exterior coatings.
HOUSE & TRIM – HIGH GLOSS					
EPS 2721	48.0	7.5 – 8.5	15	10% Texanol or EPS 9147	A self-crosslinking, all-acrylic emulsion designed for VOC compliant high gloss coatings. EPS 2721 offers excellent resistance to lanolin, household chemicals and stains, early high temperature block and scrub resistance. Excellent performance properties such as adhesion to glossy alkyds and rapid gloss development are inherent.
STAINS					
EPS 2257	40.0	8.0 – 9.0	7	5% Texanol	All-acrylic emulsion offering excellent penetration, adhesion and water resistance on cementitious substrates.

rev. 03/09/11

Questions? Call EPS Technical Service @ 1-800-601-8111

The data on this sheet represent typical values. Since application variables are a major factor in product performance, this information should serve only as a general guide. EPS assumes no obligation or liability for use of this information. **UNLESS EPS AGREES OTHERWISE IN WRITING, EPS MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. EPS WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.** Your only remedy for any defect in this product is the replacement of the defective product, or a refund of its purchase price, at our option